02/15/2007 16:05 FAX 650 813 5993

FEB 1 5 2007

Application No.: 10/627,372

3

Docket No.: 421342000400

BEST AVAILABLE COPY

AMENDMENTS TO THE CLAIMS

The following list of claims replaces all prior versions and lists of claims:

Claim I (Currently amended): A method for inhibiting decreasing an incidence of a new onset of type 2 diabetes mellitus, or treating an inflammatory or metabolic disorder selected from the group consisting of type 2 diabetes mellitus, metabolic syndrome, and inflammation caused by osteoarthritis in a mammal by administering to the mammal in need thereof, a therapeutically effective amount of telmisartan, or an analog thereof, sufficient to (a) at least partially activate peroxisome proliferator activated receptors (PPARs) and (b) at least partially inhibit, antagonize or block an activity of angiotensin II type 1 receptors.

Claim 2 (Currently amended): The method of claim 1 wherein the inhibiting decreasing the incidence of the new onset of type 2 diabetes mellitus, or treating the inflammatory or metabolic disorder does not cause, promote, or aggravate fluid retention, peripheral edona, pulmonary edema, or congestive heart failure in the mammal.

Claim 3 (Previously presented): The method of claim 1 wherein the telmisartun, or an analog thereof, is administered in a pharmaceutically acceptable form.

Claim 4 (Previously presented): The method of claim 1 wherein said telmisartan, or an analog thereof, is administered in a therapeutically effective amount sufficient to inhibit, slow, or delay development of at least one metabolic disorder or disease selected from the group consisting of insulin resistance, glucose intolerance, impaired glucose tolerance, impaired fasting serum glucose, impaired fasting blood glucose, hyperinsulinemia, pre-diabetes, type 1 diabetes, type 2 diabetes mellitus, insulin-resistant hypertension, the metabolic syndrome, the metabolic hypertensive syndrome, (metabolic) syndrome X, the dysmetabolic syndrome, obesity, visceral obesity, and hypertriglyceridemia.

RECT AVAILARIE COPY

Application No.: 10/627,372

4

Docket No.: 421842000400

Claim 5 (Previously presented): The method of claim 1 wherein said telmisurtan, or an analog thereof, increases the activity of a PPAR subtype, PPARgamma or a PPARgamma-retinoid X receptor (PPARgamma-RXR) heterodimer.

Claim 6 (Original): The method of claim 5 wherein the activity of the PPAR subtype, PPAR gamma or the PPAR gamma-retinoid X receptor (PPAR gamma-RXR) hererodimer is increased in combination with an increase in activity of at least one of PPAR alpha and PPAR delta.

Claim 7 (Previously presented): The method of claim 5 wherein said telmisartan, or an analog thereof, is administered in a therapeutically effective amount sufficient to inhibit, slow, or delay development of at least one metabolic disorder or disease selected from the group consisting of insulin resistance, glucose intolerance, impaired glucose tolerance, impaired fasting serum glucose, impaired fasting blood glucose, hyperinsulinemia, pre-diabetes, type 1 diabetes, type 2 diabetes mellitus, insulin-resistant hypertension, the metabolic syndrome, the metabolic hypertensive syndrome, (metabolic) syndrome X, the dysmetabolic syndrome, obesity, visceral obesity, and hypertriglyceridemia.

Claim 8 (cancelled)

Claim 9 (Previously presented): The method of claim 1 wherein the telmisartim, or an analog thereof, is formulated for oral administration.

Claim 10 (Previously presented): The method of claim 1 wherein the telmisart in, or an analog thereof, is formulated for topical administration.

Claim 11 (cancelled)

Claim 12 (Previously presented): The method of claim 9 wherein the total effective daily orally administered dose is selected from the range of about 20 mg to about 1000 mg.

Claim 13 (cancelled)

pa-1131871

BEST AVAILABLE COPY

Application No.: 10/627,372

MOFO PA #EIGHT

Docket No.: 421842000400

Claim 14 (Previously presented): The method of claim 9 wherein the total effective daily orally administered dose is selected from the range of about 0.05 to 100 mg/kg body weight.

Claim 15 (Original): adolescent or adult.

The method of claim 1 wherein the mammal is a human child,

Claims 16-32 (cancelled)